## Approaches towards implementation of supercritical fluid chromatography-mass spectrometry (SFC-MS) for high-throughput separations of pharmaceutical compounds

M. A. Thite<sup>1</sup>, G. J. Langley<sup>1</sup>, Bob Boughtflower<sup>2</sup>, Mark Bradley<sup>2</sup>, Jeff Caldwell<sup>2</sup>, Steve Hoare<sup>2</sup>, Clare Holyoak<sup>2</sup>, Steve Lane<sup>2</sup>, Paul Oakley<sup>2</sup>, Frank Pullen<sup>2</sup>, Mark Taylor<sup>2</sup>, Craig White<sup>2</sup>.

> <sup>1</sup> School of Chemistry, University of Southampton, SO17 1BJ, UK <sup>2</sup> Combinatorial Centre for Excellence Consortium, see below for details.

Introduction

High performance liquid chromatography (HPLC) is the most widely use separation technique within the pharmaceutical industry. Due to the growing need for high speed and high quality separations other techniques such as SFC are now being considered. A key advantage of SFC is minimal solvent waste, which is particularly important in preparative SFC, leading to fast sample recovery. Hence it is important to explore whether SFC, which also promises to be cheaper and more environmentally friendly than conventional HPLC, can be applied more widely as a complimentary method.

#### Objectives


- Develop generic method
- Compare SFC and HPLC
- Focus on speed use of smaller 50mm columns
- Identify trends in physicochemical properties

### **Possible trends**

• Log P 🤻


University of Southa

- Log D
- pKa 🙄 ?




- (a) Plot of compound number against retention time,
  (b) Plot of compound number against pretention time,
  (b) Plot of compound number against bpKa1 value
- bpKa1 low, less retained
  Exception possibly due to presence of acid functionality (R<sub>1</sub>=CH<sub>2</sub>COOH)

 $\begin{array}{c} \begin{array}{c} & & \\$ 



(A) SFC-MS on 50 mm Cyano column (additive: DEA) (B) HPLC- MS on 50mm C<sub>18</sub> colum



 SFC gives greater coverage for he focussed library as the data supports

the data suggests Less than 50%(11of 24) not compatible with generic HPLC method, elute with the solvent front

## Conclusions

- $^{\circ}$  SFC gives greater coverage and is significantly faster compared to HPLC for this class of compounds
- The identity of an amine has little or no effect on the retention times
- <sup>7</sup> Cyano column gives good results on addition of additive analytically acceptable but could cause difficulty preparative chromatography

Acknowledgements

• Physico-chemical property predictor - not yet but maybe



# evotec Pfizer








### Experimental approach


- Diverse training set (20 compounds)
- Small library of compounds with similarity in structures
- \* Direct comparison of SFC and HPLC

 Predictor- Map data retention against physico-chemical property

- Additive comparison
  - Diethylamine
  - Triethylamine
  - Dimethlethylamine



Plot of retention time against compound number of Group A showing effect of



Plot of retention time against compound number of Group C showing effect of additives

- Secondary amine additive: Compounds with aliphatic substructure less retained
- Retention less affected by the identity of tertiary amine