


# Examination Room Plans

## Contents

<b>Room</b>	<b>Page</b>		<b>Room</b>	<b>Page</b>
Glen Eyre Main Hall	3		46/3001	39
2/1039	4		54/4011	40
2/1079	5		54/5025	41
2/1083	6		54/5027	42
2/1085	7		58/1007 (Z)	43
2/1089	8		58/1009 (Z)	44
2/2063	9		58/1043 (Z CAA)	45
2A/Foyer	10		58/1049 ( Z CAA)	46
2A/2065	11		58/1067 (Z)	47
2A/2077	12		65/1133 (Avenue L/T A)	48
5/2011	13		65/1175 (Avenue L/T C)	49
5/2015	14		65/1201 (Avenue L/T B)	50
5/2017	15		67/1003 (Z)	51
7/3001	16		67/1007 (Z)	52
18/Jubilee Sports Hall	17		67/1027	53
25/1007	18		85/2207	54
25/1009	19		85/2209	55
25/1011 (Z)	20		85/2211	56
25/1017 (Z)	21		85/2213	57
28/1017 (Z)	22			
28/1019 (Z)	23			
28/1021 (Z)	24			
32/1015	25			
34/1001	26			
35/1001	27			
35/1005	28			
40/Garden Court A & B	29			
40/Garden Court C	30			
42/SU Sports Hall	31			
44/1041	32			
44/1061	33			
44/3095	34			
45/0045	35			
45/1016	36			
46/2003	37			
46/2005	38			


# Glen Eyre Main Hall



## Glen Eyre Main Hall - Max capacity 126

- Level – Ground Floor
- Toilets – Along corridor by Halls Office
- Telephone – Radio
- Lighting – On left hand wall by stage
- Ventilation – Windows
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 3 members of staff


# Building 2/1039



## Building 2/1039 - Max capacity 55

- Level – Lower Ground Floor
- Toilets – Out of room turn left, then left again, follow down the corridor and it is on the right hand side.
- Telephone – Radio
- Lighting – Auto (switch panel on wall at back of room)
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


# Building 2/1079



## Building 2/1079 - Max capacity 30

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


# Building 2/1083



## Building 2/1083 - Max capacity 49

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


# Building 2/1085



## Building 2/1085 - Max capacity 48

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff

# Building 2/1089




## Building 2/1089 - Max capacity 72

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff



# Building 2/2063




## Building 2/2063 - Max capacity 22

### Computer Room

- Level – Ground Floor
- Toilets – Turn right along the corridor to main entrance (follow signs)
- Telephone – Radio
- Lighting – Automatic (switches on the wall by the entrance)
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


# Building 2A/Foyer



## Building 2A/Foyer - Max capacity 42

- Level – Ground floor
- Toilets – In building 6 Nuffield Theatre
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Doors
- Layout - Flat
- Seating - Temporary desks & chairs, large table (delivered by porters)
- Invigilation - 2 members of staff


# Building 2A / 2065



## Building 2A/2065 - Max capacity 87

- Level – Lower Ground floor,
- Toilets – In building 6 (Nuffield Theatre)
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Temporary & Fixed Benching, large table (delivered by porters)
- Invigilation– 2 members of staff


# Building 2A / 2077



## Building 2A/2077 - Max capacity 75

- Level – Lower Ground floor,
- Toilets – In building 6 (Nuffield Theatre)
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Temporary & Fixed Benching, large table (delivered by porters)
- Invigilation - 2 members of staff

# Building 5 / 2011




## Building 5/2011 - Max capacity 25

- Level – Ground floor, go past reception – through sliding doors. Room 1007 is halfway down on the right hand side
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff

# Building 5 / 2015

Back of Room



FRONT





Invigilators

## Building 5/2015 - Max capacity 40

- Level – Ground Floor
- Toilets – Ground Floor
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff

# Building 5 / 2017

Back of Room




Invigilators

FRONT

## Building 5/2017 - Max capacity 39

- Level – Ground Floor
- Toilets – Ground Floor
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff

# Building 7/3009




## Building 7/3009 - Max capacity 110

- Level – 3
- Toilets – Level 3,4 & 5
- Telephone – Radio
- Lighting – 3 sets on the wall to operate the front of the room, main lights are operated from a touch panel on the lectern
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching, large desk (delivered by porters)
- Invigilation - 3 members of staff




# Building 18/Jubilee Sports Hall



## Building 18/Jubilee Sports Hall - Max capacity 545

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – On wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Temporary desks & chairs, large tables (delivered by porters)
- Invigilation - 11 members of staff (Including TL)

# Building 25/1007




## Building 25/1007 - Max capacity 44

### Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting –
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

# Building 25/1009




## Building 25/1009 - Max capacity 81

### Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting –
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 3 members of staff

# Building 25/1011




## Building 25/1011 - Max capacity 22

### Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


# Building 25 / 1017 (Z)



## Building 25/1017 - Max capacity 9 Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

# Building 28/1017



## Building 28/1017 - Max capacity 16

Level – Ground

Toilets – Are next to 2017

Telephone – In Room

Lighting – switches are on the wall next to the door


Ventilation – Windows

Layout – Flat room

Seating – Desks and Chairs

Invigilation – 2 members of staff

# Building 28/1019



## Building 28/1019 - Max capacity 16

Level – Ground

Toilets – Are next to 2017, go out of the building and into the next entrance next to 2017

Telephone – In Room

Lighting – switches are on the door next to the door


Ventilation – Windows

Layout – Flat room

Seating – Desks and Chairs

Invigilation - 2 members of staff

# Building 28/1021



## Building 28/1021 - Max capacity 16

Level – Ground

Toilets – Are next to 1017, go out of the building and into the next entrance next to 2017

Telephone – In Room

Lighting – switches are on the wall next to the door

Ventilation – Windows


Layout – Flat room

Seating – Desks and Chairs

Invigilation – 2 members of staff




# Building 32/1015



## Building 32/1015 - Max capacity 223

- Level – Ground, go past reception through sliding doors, turn right
- Toilets – Along the corridor
- Telephone – Radio
- Lighting – Control panel by workstation on right hand wall, put on number 1
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed/temporary desks & chairs, large table (delivered by porters)
- Invigilation - 6 members of staff (Including TL)


# Building 34/1001



## Building 34/1001 - Max capacity 62

- Level – Below ground
- Toilets –
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


# Building 35/1001



## Building 35/1001 - Max capacity 66

- Level – Both lecture theatres connect at same level at the front – using these doors follow corridor, turn left, kitchen (Rm 1048) on left
- Toilets – Opposite MICS reception, go through doors, toilets are along the corridor on the left hand-side
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


# Building 35/1005



## Building 35/1005 - Max capacity 50

- Level – Both lecture theatres connect at same level at the front – using these doors follow corridor, turn left, kitchen (Rm 1048) on left
- Toilets – Opposite MICS reception, go through doors, toilets are along the corridor on the left hand-side
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff

# Building 40/Garden Court Room A & B



**Building 40/Garden Court Room A - Max capacity 160**

**Building 40/Garden Court Room B - Max capacity 24**

Level – Ground floor

Toilets – Turn right outside the room go along the corridor until you find the stairs, the toilets are on the right

Telephone – Radio only

Lighting – Switch on wall


Ventilation – Windows

Layout - Flat

Seating - Temporary desks & chairs

Invigilation – Rm A – 3 members of staff (Including T/L)

Rm B – 1 member of staff




## Building 40/Garden Court Room C

### Max capacity 109

- Level – Ground floor
- Toilets – Turn right outside the room go along the corridor until you find the stairs, the toilets are on the right
- Telephone – Radio only
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Temporary desks & chairs
- Invigilation - 3 members of staff

# Building 42/Students Union Sports Hall




## Building 42/Students Union Sports Hall

Max capacity 227

- Level – 1
- Toilets – Level 1 along corridor
- Telephone – Radio only
- Lighting – Switch on wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Temporary desks & chairs, large tables (delivered by porters)
- Invigilation - 6 members of staff (Including TL)

# Building 44/1041




## Building 44/1041 - Max capacity 63

- Level – Level 1
- Toilets – On the left opposite room
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed
- Invigilation – 2 members of staff



# Building 44/1061



## Building 44/1061 - Max capacity 91

### Computer Room

Level – Ground Floor

Toilets –

Telephone – Radio

Lighting –


Ventilation – Automatic

Layout - Flat

Seating - Fixed desks & chairs, large table (delivered by porters)

Invigilation - 3 members of staff

# Building 44/3095




Building 44/3095 - Max capacity 70

## Computer Room

- Level – 2<sup>nd</sup> floor East
- Toilets –
- Telephone – Radio
- Lighting – Windows
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


# Building 45/0045



## Building 45/0045 - Max capacity 65

- Level – Ground floor, enter through front doors, then go around to the left and down the corridor, the room will be the left
- Toilets – Through doors to left
- Telephone – Radio only
- Lighting – Switches by the doors
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


# Building 45/1016



## Building 45/1016 - Max capacity 15

- Level – Level 1
- Toilets – Turn left, follow the corridor and then on the left
- Telephone – Radio
- Lighting – Light on the wall to the left of the door
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed desks & chairs, large table (delivered by porters)
- Invigilation - 2 members of staff

# Building 46/2003




## Building 46/2003 - Max capacity 62

- Level – Ground floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff

## Building 46/2005


Back of Room



### Building 46/2005 - Max capacity 53

- Level – Ground floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic (switch panel on projection desk if there are any problems)
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


# Building 46/3001



## Building 46/3001 - Max capacity 168

- Level – First floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 4 members of staff

# Building 54/4011




## Building 54/4011 - Max capacity 114

- Level – Forth Floor
- Toilets – Third Floor; Women's to the left and Men's to the right of the Lift.
- Telephone – Radio only
- Lighting – Automatic (switch on lectern)
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 3 members of staff




# Building 54 / 5025



## Building 54/5025 - Max capacity 55

- Level – 5, come out of lift and go upstairs, 1<sup>st</sup> left
- Toilets – Level 3
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


# Building 54 / 5027



## Building 54/5027 - Max capacity 54

- Level – 5, come out of lift and go upstairs, 1<sup>st</sup> left
- Toilets – Level 3
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


# Building 58 / 1007



## Building 58/1007 - Max capacity 48

- Level – Ground Floor, through main doors the room can be found on your left
- Toilets – Gents is opposite, ladies through double doors then turn right
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


# Building 58 / 1009



## Building 58/1009 - Max capacity 48

- Level – Ground Floor, through main doors the room can be found on your left
- Toilets – Gents is opposite, ladies through double doors then turn right
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

# Building 58 / 1043




## Building 58/1043 Max capacity 37

### Computer Room

- Level – Ground floor, go past reception – through sliding doors. Room 1007 is halfway down on the right hand side
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed tables
- Invigilation - 2 members of staff

# Building 58 / 1049




## Building 58/1049 - Max capacity 25

### Computer Room

- Level – Ground floor, go past reception – through sliding doors. Room 1007 is halfway down on the right hand side
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed tables
- Invigilation - 2 members of staff


# Building 58 / 1067



## Building 58/1067 - Max capacity 49

- Level – Ground Floor, through main doors the room can be found on your left
- Toilets – Gents is opposite, ladies through double doors then turn right
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

# Building 65/1133




## Building 65/1133 (Avenue L/T A) - Max capacity 105

- Level – Level 1
- Toilets – At the top and bottom of both sets of stairs near the front entrance
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed
- Invigilation– 2 members of staff




# Building 65/1175



## Building 65/1175 Avenue (L/T C) - Max capacity 49

- Level – Level 1
- Toilets – At the top and bottom of both sets of stairs near the front entrance
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed
- Invigilation– 2 members of staff


# Building 65/1201



## Building 65/1201 (Avenue L/T B) - Max capacity 72

Level –	Level 1
Toilets –	At the top and bottom of both sets of stairs near the front entrance
Telephone –	Radio
Lighting –	Automatic
Ventilation –	Automatic
Layout -	Raked
Seating -	Fixed
Invigilation–	2 members of staff


# Building 67 / 1003



## Building 67/1003 - Max capacity 32

- Level – Ground , go past reception – turn left, half way along the corridor on the left
- Toilets – Along the corridor near reception
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Fixed desks & chairs
- Invigilation - 2 members of staff


# Building 67 / 1007



## Building 67/1007 - Max capacity 36

- Level – Ground , go past reception – turn left, half way along the corridor on the left
- Toilets – Along the corridor near reception
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Fixed desks & chairs
- Invigilation - 2 members of staff


# Building 67/1027



## Building 67/1027 - Max capacity 130

- Level – Ground floor
- Toilets – To the left of the main room through the doors
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching, large table (delivered by porters)
- Invigilation - 3 members of staff

# Building 85/2207



## Building 85/2207 - Max capacity 24

Level –

Toilets –

Telephone – Radio


Lighting –

Ventilation –

Layout - Flat

Invigilation - 2 members of staff

# Building 85/2209



## Building 85/2209 - Max capacity 16

Level –

Toilets –

Telephone – Radio


Lighting –

Ventilation –

Layout - Flat

Invigilation - 2 members of staff

# Building 85/2211



## Building 85/2211 - Max capacity 12

Level –

Toilets –

Telephone – Radio

Lighting –


Ventilation –

Layout - Flat

Invigilation - 2 members of staff



# Building 85/2213



## Building 85/2213 - Max capacity 10

Level –

Toilets –

Telephone – Radio

Lighting –

Ventilation –

Layout - Flat

Invigilation - 2 members of staff