

## **HVLab Thermal Aesthesiometer:**

Lindsell,C.J., Griffin,M.J. (1995). Signs and symptoms of disorders associated with hand-transmitted vibration in a group of dockyard workers. I.S.V.R. Contract Report No. 95/28, Institute of Sound and Vibration Research, University of Southampton.

Ruffell,C.M., Griffin,M.J. (1995). Effect of starting temperature on the repeatability of thermotactile thresholds. Central European Journal of Public Health, 3, Supplement (JHEMI, 39), Proceedings of the 7th International Conference on Hand-arm Vibration, May 9-12 (1995), 81-84.

Lindsell,C.J., Griffin,M.J. (1998). A standardised test battery to detect neurological and vascular components of the hand-arm vibration syndrome. 8th International Conference on Hand-Arm Vibration, 9-12 June, Umeå, Sweden, Editors: R.

Lundström, L. Burström, T. Nilsson, S.H. Bylund, Arbetslivsrapport 1998:14, ISSN: 1401-2928, 41-42.

Lindsell,C.J., Griffin,M.J. (1998). Standardised diagnostic methods for assessing components of the hand-arm vibration syndrome. Health and Safety Executive Contract Research Report, 197/1998, ISBN 0-7176-1640-1.

Lindsell,C.J., Griffin,M.J. (1999). Thermal thresholds, vibrotactile thresholds and finger systolic blood pressures in dockyard workers exposed to hand-transmitted vibration. International Archives of Occupational and Environmental Health, 72, 377-386.

Lindsell,C.J., Griffin,M.J. (2000). A standardised test battery for assessing vascular and neurological components of the hand-arm vibration syndrome. Proceedings of the 8th International Conference on Hand-Arm Vibration, 9-12 June 1998, Umeå, Sweden, Editors: R.Lundström, A.Lindmark, Arbetslivsrapport Nr 2000:4, ISSN: 1401-2928, 133-141.

Whitehouse,D., Lundström,R. Griffin,M.J. (2001). Comparison of vibrotactile and thermal thresholds with two different measurement systems. 9th International Conference on Hand-Arm Vibration, 5-8 June, 2001, Nancy, France, Organizer: Institut National de Recherche et de Sécurité.

Lindsell,C.J., Griffin,M.J. (2002). Normative data for vascular and neurological tests of the hand-arm vibration syndrome. International Archives of Occupational and Environmental Health, 75, (1-2), 43-54.

Whitehouse,D.J., Lundström,R., Griffin,M.J. (2004) Comparison of vibrotactile and thermal thresholds with two different measurement systems. Proceedings of the 9th International Conference on hand-arm vibration, held at the Institut National de Recherche et de Sécurité, 5-8th June 2001.

Seah,S.A. (2005) Correlation between thermotactile thresholds and vibrotactile thresholds in normal subjects.. UK conference on human response to vibration, Liverpool, 13th to 15th September.

Seah,S.A., Griffin, MJ (2008) Normal values for thermotactile and vibrotactile thresholds in males and females. International Archives of Occupational and Environmental Health. 81(5), 535-543.

Lawson JJ and Navell DA (1997). Review of objective tests for the hand-arm vibration syndrome. *Occupational Medicine (London)*. 47, 15-20.

Maeda S, Sakakibara H (2002) Thermotactile Perception Thresholds Measurement Conditions. *Industrial Health*. 40 (4), 353-361.

Sakakibara H, Maeda S and Yonekawa Y (2002) Thermotactile threshold testing for the evaluation of sensory nerve function in vibration-exposed patients and workers. 75 (1-2), 90-96.

Bovenzi M, Ronchese F and Mauro M (2010). A longitudinal study of peripheral sensory function in vibration-exposed workers. *International Archives of Occupational and Environmental Health*. Online 23 May 2010