


Examination Room Plans

Contents

Room	Page
Glen Eyre Main Hall	3
2/1039	4
2/1079	5
2/1083	6
2/1085	7
2/1089	8
2/2063	9
2A/Foyer	10
2A/2065	11
2A/2077	12
4/3045 (Z CAA)	13
5/2011	14
5/2015	15
5/2017	16
7/3009	17
18/Jubilee Sports Hall	18
25/1007	19
25/1009	20
25/1011 (Z)	21
25/1017 (Z)	22
28/1017 (Z)	23
28/1019 (Z)	24
28/1021 (Z)	25
32/1015	26
35/1001	27
35/1005	28
36/2065 (Z CAA)	29
40/Garden Court A & B	30
40/Garden Court C	31

Room	Page
42/SU Sports Hall	32
44/1061	33
46/2003	34
46/2005	35
46/3001	36
54/5025	37
54/5027	38
58/1043 (Z CAA)	39
58/1045	40
58/1047	41
58/1049	42
65/1133 (Avenue L/T A)	43
65/1175 (Avenue L/T C)	44
65/1201 (Avenue L/T B)	45
67/1037	46
100/1001	47
100/3023 (Z)	48
100/4013	49
100/7007 (Z)	50
100/7011 (Z)	51
100/7013 (Z)	52
100/8009 (Z)	53
100/8011 (Z)	54
100/8013 (Z)	55

Glen Eyre Main Hall





Glen Eyre Main Hall - Max capacity 117

- Level – Ground Floor
- Toilets – Along corridor by Halls Office
- Telephone – Radio
- Lighting – On left hand wall by stage
- Ventilation – Windows
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 3 members of staff

Building 2/1039

Back of Room




FRONT

Building 2/1039 - Max capacity 55

- Level – Lower Ground Floor
- Toilets – Out of room turn left, then left again, follow down the corridor and it is on the right hand side.
- Telephone – Radio
- Lighting – Auto (switch panel on wall at back of room)
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2/1079



Building 2/1079 - Max capacity 30

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2/1083



Building 2/1083 - Max capacity 49

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2/1085



Building 2/1085 - Max capacity 48

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2/1089



Building 2/1089 - Max capacity 72

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff

Building 2/2063




Building 2/2063 - Max capacity 22

Computer Room

- Level – Level 2
- Toilets – On floors 1 and 3 (follow signs)
- Telephone – Radio
- Lighting – Automatic (switches on the wall by the entrance)
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 2A/Foyer



Building 2A/Foyer - Max capacity 42

- Level – Ground floor
- Toilets – In building 6 Nuffield Theatre
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Doors
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 2 members of staff


Building 2A/2065



Building 2A/2065 - Max capacity 87

- Level – Lower Ground floor,
- Toilets – In building 6 (Nuffield Theatre)
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Temporary (delivered by porters) & Fixed Benching
- Invigilation – 2 members of staff


Building 2A/2077



Building 2A/2077 - Max capacity 75

- Level – Lower Ground floor,
- Toilets – In building 6 (Nuffield Theatre)
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Temporary (delivered by porters) & Fixed Benching
- Invigilation - 2 members of staff


Building 4/3045 (Z)



Building 4/3045 (Z) - Max capacity 11

- Level – 3
- Toilets – Level 2
- Telephone – Radio only
- Lighting – Switch on wall
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed desks and chairs
- Invigilation - 2 members of staff

Building 5/2011




Building 5/2011 - Max capacity 25

- Level – Ground floor, go past reception – through sliding doors. Room 1007 is halfway down on the right hand side
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 1 member of staff (Plus 1 floating invigilator across all 3 rooms)

Building 5/2015

Back of Room



FRONT




Invigilators

Building 5/2015 - Max capacity 40

- Level – Ground Floor
- Toilets – Ground Floor
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 1 member of staff (Plus 1 floating invigilator across all 3 rooms)


Building 5/2017



Building 5/2017 - Max capacity 39

- Level – Ground Floor
- Toilets – Ground Floor
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 1 member of staff (Plus 1 floating invigilator across all 3 rooms)


Building 7/3009



Building 7/3009 - Max capacity 110

- Level – 3
- Toilets – Level 3,4 & 5
- Telephone – Radio
- Lighting – 3 sets on the wall to operate the front of the room, main lights are operated from a touch panel on the lectern
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 3 members of staff


Building 18/Jubilee Sports Hall



Building 18/Jubilee Sports Hall - Max capacity 524

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – On wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 11 members of staff (Including TL)

Building 25/1007




Building 25/1007 - Max capacity 44

Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting – Switch on wall, press and hold to brighten
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 25/1009




Building 25/1009 - Max capacity 80

Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 3 members of staff

Building 25/1011 (Z)



Building 25/1011 (Z) - Max capacity 22

Computer Room

Level – Ground Floor

Toilets – Female toilets along corridor, gents in same location but one floor above

Telephone – Radio

Lighting – Switch on wall


Ventilation – Windows/Air conditioning

Layout - Flat

Seating - Fixed benching

Invigilation - 2 members of staff


Building 25/1017 (Z)



Building 25/1017 (Z) - Max capacity 9 Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 28/1017 (Z)



Building 28/1017 (Z) - Max capacity 16

Level – Ground

Toilets – Are next to 2017

Telephone – In Room

Lighting – switches are on the wall next to the door


Ventilation – Windows

Layout – Flat room

Seating – Fixed desks and chairs

Invigilation – 2 members of staff

Building 28/1019 (Z)



Building 28/1019 (Z) - Max capacity 16

Level – Ground

Toilets – Are next to 2017, go out of the building and into the next entrance next to 2017

Telephone – In Room

Lighting – switches are on the door next to the door


Ventilation – Windows

Layout – Flat room

Seating – Fixed desks and chairs

Invigilation - 2 members of staff

Building 28/1021 (Z)



Building 28/1021 (Z) - Max capacity 16

Level – Ground

Toilets – Are next to 1017, go out of the building and into the next entrance next to 2017

Telephone – In Room

Lighting – switches are on the wall next to the door


Ventilation – Windows

Layout – Flat room

Seating – Fixed desks and chairs

Invigilation – 2 members of staff


Building 32/1015



Building 32/1015 - Max capacity 223

- Level – Ground, go past reception through sliding doors, turn right
- Toilets – Along the corridor
- Telephone – Radio
- Lighting – Control panel by workstation on right hand wall, put on number 1
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed/temporary desks & chairs (delivered by porters)
- Invigilation - 6 members of staff (Including TL)


Building 35/1001



Building 35/1001 - Max capacity 66

- Level – Both lecture theatres connect at same level at the front – using these doors follow corridor, turn left, kitchen (Rm 1048) on left
- Toilets – Opposite MICS reception, go through doors, toilets are along the corridor on the left hand-side
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 35/1005



Building 35/1005 - Max capacity 50

- Level – Both lecture theatres connect at same level at the front – using these doors follow corridor, turn left, kitchen (Rm 1048) on left
- Toilets – Opposite MICS reception, go through doors, toilets are along the corridor on the left hand-side
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 36/2065 (Z)



Building 36/2065 (Z) - Max capacity 29

Level – Ground Floor, at the end of the corridor on the left handside

Toilets – Ground floor, on the left and right along the corridor

Telephone – Radio

Lighting – Switch on the wall


Ventilation – Automatic

Layout - Flat

Seating – Fixed desks/chairs

Invigilation – 2 members of staff

Building 40/Garden Court Room A & B



Building 40/Garden Court Room A - Max capacity 160

Building 40/Garden Court Room B - Max capacity 24

Level – Ground floor

Toilets – Turn right outside the room go along the corridor until you find the stairs, the toilets are on the right

Telephone – Radio only

Lighting – Switch on wall

Ventilation – Windows


Layout - Flat

Seating - Temporary desks & chairs (delivered by porters)

Invigilation – Rm A – 3 members of staff (Including T/L)

Rm B/C – 4 members of staff (3 if not using Rm B)

Building 40/Garden Court Room C



Building 40/Garden Court Room C

Max capacity 108

Level – Ground floor

Toilets – Turn right outside the room go along the corridor until you find the stairs, the toilets are on the right

Telephone – Radio only

Lighting – Switch on wall


Ventilation – Windows

Layout - Flat

Seating - Temporary desks & chairs (delivered by porters)

Invigilation - Rm B/C - 4 members of staff (3 if not using Rm B)

Building 42/Students Union Sports Hall




Building 42/Students Union Sports Hall

Max capacity 208

- Level – 1
- Toilets – Level 1 along corridor
- Telephone – Radio only
- Lighting – Switch on wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 6 members of staff (Including TL)

Building 44/1061




Building 44/1061 - Max capacity 91

Computer Room

- Level – Ground Floor
- Toilets – Exit the rear of the room, along the corridor
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed desks & chairs
- Invigilation - 3 members of staff

Building 46/2003

Back of Room





Building 46/2003 - Max capacity 62

- Level – Ground floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 46/2005


Back of Room



Building 46/2005 - Max capacity 53

- Level – Ground floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic (switch panel on projection desk if there are any problems)
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 46/3001



Building 46/3001 - Max capacity 168

- Level – First floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 3 members of staff (Plus 1 floating invigilator across 3 rooms but based in 3001)


Building 54/5025



Building 54/5027 - Max capacity 55

- Level – 5, come out of lift and go upstairs, 1st left
- Toilets – Level 3
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 54 / 5027



Building 54/5027 - Max capacity 55

- Level – 5, come out of lift and go upstairs, 1st left
- Toilets – Level 3
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 58/1043 (Z)




Building 58/1043 (Z) - Max capacity 38

Computer Room

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed desks and chairs
- Invigilation - 2 members of staff

Building 58/1045




Building 58/1045 Max capacity - 31

Computer Room

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed desks and chairs
- Invigilation - 2 members of staff

Building 58/1047




Building 58/1047 Max capacity - 21

Computer Room

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed desks and chairs
- Invigilation - 2 members of staff

Building 58/1049




Building 58/1049 - Max capacity - 25

Computer Room

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed desks and chairs
- Invigilation - 2 members of staff


Building 65/1133



Building 65/1133 (Avenue L/T A) - Max capacity 105

- Level – Level 1
- Toilets – At the top and bottom of both sets of stairs near the front entrance
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation– 2 members of staff


Building 65/1175



Building 65/1175 Avenue (L/T C) - Max capacity 49

- Level – Level 1
- Toilets – At the top and bottom of both sets of stairs near the front entrance
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation– 2 members of staff


Building 65/1201



Building 65/1201 (Avenue L/T B) – Max capacity 72

- Level – Level 1
- Toilets – At the top and bottom of both sets of stairs near the front entrance
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed
- Invigilation– 2 members of staff


Building 67/1037



Building 67/1037 - Max capacity 132

- Level – Ground floor
- Toilets – To the left of the main room through the doors
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 3 members of staff


Building 100/1001



Building 100/1001 - Max capacity - 104

- Level – Ground Floor (Level 2)
- Toilets – Level 2 - Exit at the rear of LT, turn left, at the end of the corridor
Level 1 - Exit at the bottom of the LT, turn right, upstairs, on the right
- Telephone – Radio only
- Lighting – Automatic (Low, Med & High setting on PC screen)
- Ventilation – Centrally controlled
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 3 members of staff

Building 100, Room 3023 (Z)




Building 100/Room 3023

Max capacity 80

- Level – Level 3
- Toilets – Exit LT, turn left and left again (by staircase)
- Telephone – Radio only
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 4 members of staff (including floating invigilator)

Building 100, Room 4013




Building 100/Room 4013

Max capacity 80

- Level – Level 4
- Toilets – Exit LT, turn left and left again (by staircase)
- Telephone – Radio only
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 3 members of staff


Building 100/7007 (Z)



Building 100/7007 (Z) - Max capacity 10

- Level – Level 7
- Toilets – Exit room, turn right to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff


Building 100/7011 (Z)



Building 100/7007 (Z) - Max capacity 15

- Level – Level 7
- Toilets – Exit room, turn right to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff


Building 100/7013 (Z)



Building 100/7013 (Z) - Max capacity 15

- Level – Level 7
- Toilets – Exit room, turn right to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff


Building 100/8009 (Z)



Building 100/8009 (Z) - Max capacity 10

- Level – Level 8
- Toilets – Exit room, turn right to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff


Building 100/8011 (Z)



Building 100/8011 (Z) - Max capacity 15

- Level – Level 8
- Toilets – Exit room, turn right to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff

Building 100/8013 (Z)



Building 100/8013 (Z) - Max capacity 15

- Level – Level 8
- Toilets – Exit room, turn right to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff